




**SERIES 5140 BACK DOOR**

- White Exterior, White Exterior
- White Exterior, Dark Interior Color Available
- NOTE: Boxed Doors Additional Charge

**OUTSWINGING**

- Insulated Foam Core
- Welded Aluminum Frame
- Surface of Damage Resistant Fiberglass
- Precambered Steel Lock Side for Tight Fit
- Three Extruded Hinges w/ SS Bushings
- Includes Lockset, Threshold and Chain
- Manufactured to Comply w/ HUD Standard 3280-405



Rough Opening	10 x 10 DIAMOND	14 x 27 SLIDER	4 x 24 WINDOW **	BLANK	9 LITE
30 x 72 LH	723072LD	723072LS	723072L24	723072	
RH	723072RD	723072RS	723072R24	723072	
32 x 72 LH	723272LD	723272LS	723272L24	723272	
RH	723272RD	723272RS	723272R24	723272	
32 x 74 LH	723274LD	723274LS		723274	
RH	723274RD	723274RS		723274	
32 x 76 LH	723276LD	723276LS	723276L24	723276	723276LC
RH	723276RD	723276RS	723276R24	723276	723276RC
32 x 78 LH	723278LD	723278LS	723278L24	723278	
RH	723278RD	723278RS	723278R24	723278	
34 x 74 LH	723474LD	723474LS		723474	
RH	723474RD	723474RS		723474	
34 x 76 LH	723476LD	723476LS	723476L24	723476	723476LC
RH	723476RD	723476RS		723476	723476RC
34 x 78 LH	723478LD	723478LS	723478L24	723478	
RH	723478RD	723478RS			
34 x 80 LH	723480LD	723480LS		723480	723480LC
RH	723480RD	723480RS			
36 x 80 LH	723680LD	723680LS			
RH	723680RD	723680RS			

**MEASURE ROUGH OPENING SIZE • MEASURE CAREFULLY - NO RETURNS ACCEPTED**



**10 x 10 DIAMOND**

**4 x 24 WINDOW**

*(Special Order Only)*

**SERIES 5210 INSWING COMBINATION DOOR**

**Durable & Weather Resistant**

- 4" Jamb (4-1/2" Jamb Optional)
- Prehung & Ready to Install
- Foam Core with Damage-Resistant Fiberglass Panels
- Mortised White MDF Jamb System- 4" Thick
- Frost Free Threshold
- Rugged 1-1/4" Thick Storm Door w/Extruded Aluminum Frame has Patented "No Sag" Corner
- Double Leaf Sill Sweep
- Doors Include All Hardware
- Manufactured to Comply w/HUD Standard 3280-405

**STORM DOOR STYLE LEGEND**

**M = Mill Finish**  
**W = White Finish**  
**B = Bronze Finish**  
**X = White Cross Buck**

- White Exterior, White Exterior Standard  
Beige or Brown Interior Special Order
- White Oriel Storm Standard  
Brown Storm Special Order

• NOTE: 15% Re-Stock on Stock Doors. No Return on Special Order Doors.

**MEASURE ROUGH OPENING SIZE • MEASURE CAREFULLY - NO RETURNS ACCEPTED**


Rough Opening	Style	Swing	10 x 10 DIAMOND	4 x 24 WINDOW
32 x 72	W	LH	743272L	743272L24
	W	RH	743272R	743272R24
32 x 74	W	LH	743274L	743274L24
	W	RH	743274R	743274R24
	B	LH	743274LB	
32 x 76	W	LH	743276L	743276L24
	W	RH	743276R	743276R24
	B	LH	743276LB	743276L24B
	B	RH	743276RB	743276R24B
	X	LH	743276LX	
	X	RH	743276RX	
32 x 78	W	LH	743278L	743278L24
	W	RH	743278R	743278R24
	B	LH	743278LB	
34 x 74	W	LH	743474L	
	W	RH	743474R	
34 x 76	W	LH	743476L	743476L24
	W	RH	743476R	743476R24
	B	LH	743476LB	743476L24B
	B	RH	743476RB	743476R24B
	X	LH	743476LX	
	X	RH	743476RX	
34 x 78	W	LH	743478L	743478L24
	W	RH	743478R	743478R24
	B	LH	743478LB	
	B	RH	743478RB	
	X	LH	743478LX	
	X	RH	743478RX	
34 x 80	W	LH	743480L	743480L24
	W	RH	743480R	743480R24
	B	LH	743480LB	
	B	RH	743480RB	
	X	LH	743480LX	743480L24X
36 x 76	W	LH	743676L	
	W	RH	743680R	
36 x 80	W	LH	743680L	743680L24
	W	RH	743680R	
38 x 80	W	LH	743880L	743880L24
	W	RH	743880R	743880R24
	B	LH	743880LB	
	B	RH	743480RB	
	X	LH	743480LX	

M = Mill Finish • W = White Finish • B = Bronze Finish • X = White Cross Buck



**SERIES 5210 HOUSE TYPE DOOR**

6" Jamb Available in Most Sizes Call for Details



**NOTE:** 15% Re-Stock on Stock Doors. No Returns on Special Order Doors


- 6" Jamb (6-1/2" Jamb Optional)
- Prehung & Ready to Install
- Foam Core with Damage-resistant Fiberglass Panels
- White Exterior, White Interior Standard
- White Exterior, Dark Interior Color
- Mortised White MDF Jamb System- 4" Thick
- Frost Free Threshold.
- Rugged 1-1/4" Thick Storm Door w/extruded Aluminum Frame has Patented "No Sag" Corner
- Doors Include All Hardware

Size	6" Jamb
32 x 76 L/H	7432766L
R/H	7432766R
34 X 76 L/H	7434766L
R/H	7434766R
34 X 78 L/H	7434786L
R/H	7434786R
34 X 80 L/H	7434806L
R/H	7434806R
38 X 76 L/H	7438766L
R/H	7438766R
38 X 78 L/H	7438786L
R/H	7438786R
38 X 80 L/H	7438806L
R/H	7438806R



**SERIES 7660 STEEL COMBO DOOR**

Residential Style / Six Panel Door



- 4" and 6" Jamb
  - Vinyl Covering over Steel Frame
  - Full 1-3/4" Core Construction
  - Core and Jamb Prepared for Deadbolt
  - Knocker and Viewer Included
  - Heavy Duty Stormbuster Door Included
  - Optional Full View Storm Available
  - Optional 6-1/2" Jamb Available
- Lock / Deadbolt Included**

**NOTE:** 15% Return Fee on Stock Sizes. No Returns on Special Order Doors

Size	4" Jamb	6" Jamb
32 x 76 L/H	753276L	7532766L
R/H	753276R	7532766R
34 X 76 L/H	753476L	7534766L
R/H	753476R	7534766R
34 X 78 L/H	753478L	7534786L
R/H	753478R	7534786R
34 X 80 L/H	753480L	7534806L
R/H	753480R	7534806R
38 X 76 L/H	753876L	7538766L
R/H	753876R	7538766R
38 X 78 L/H	753876L	7538786L
R/H	753878R	7538786R
38 X 80 L/H	753880L	7538806L
R/H	753880R	7538806R

**MEASURE ROUGH OPENING SIZE • MEASURE CAREFULLY - NO RETURNS ACCEPTED**



# Series 7000 / 7660

Six Panel Steel Doors Available in 4" or 6" Jamb, White or Sand Finish and Heavy Duty Stormbuster Storms

## Decorative Door Lite Styles



**Nine Lite  
Optional Sidelite**



**Two Lite Steel**



**Sunburst Window**



**9907-02 Brass  
9907-02 Silver  
Optional Sidelite**



**9960-05  
Etched Oval**



**9909-02 Brass  
9909-01 Silver**



**9905-02 Brass  
9905-01 Silver**



**9904-02 Brass  
9904-01 Silver**



**9960-15 Brass**



**9989-20 Brass  
Optional sidelite**



**5517 Silk Screen  
Optional Sidelite**



**Full Lite Steel**



**Oriel**



**Full View**

- Prehung in Frame for Quick Installation
- Surrounded by Heavy-duty Extruded Aluminum Mounting Frame
- Swings on Extruded Hinges w/ Stainless Steel Bushings
- Available in Oriel or Full View Styles
- Hardware Included

**SPECIFY LEFT OR RIGHT HAND**

**NOTE:** 5945 Series Storm-Buster Doors are Available in all Sizes at an Additional Charge. Cross Buck and Full View Doors are special order only

## STORM DOORS Series 5635 & 5645


\*Color Legend: M=Mill Finish; W=White; B=Bronze

Rough Opening	Style	Swing	Oriel	Full View w/Screen	Cross Buck
32 x 72	W	LH	793272L	793272LFV	793272LX
	W	RH	793272R		
32 x 76	W	LH	793276L	793276LFV	793276LX
	W	RH	793276R		
	B	LH	793276LB	793276LFVB	793276LXB
	B	RH	793276RB		
32 x 78	W	LH	793278L	793278LFV	793278LX
34 x 76	W	LH	793476L	793476LFV	793476LX
	W	RH	793476R	793476RFV	
	B	LH	793476LB	793476LFVB	793476LXB
	M	LH	793476LM		
	M	RH	793476RM		
34 x 78	W	LH	793478L	793478LFV	793478LX
	W	RH	793478R	793478RFV	
	B	LH	793478LB		
34 x 80	W	LH	793480L	793480LFV	793480LX
	W	RH	793480R		
	B	LH	793480LB		
38 x 80	W	LH	793880L	793880LFV	
	W	RH	793880R		

### PHILIPS PRODUCTS REPLACEMENT WINDOWS FOR DOORS

Order #	Description
72424	Clear Glass, 4 x 24 w/Walnut Frame
721010	Clear Glass, 10 x 10 w/Walnut Frame
721427C	Clear Glass, 14 x 27 w/Screen


### STORM DOOR CLOSURE KIT



790001 1-3/4" Black

### STORM DOOR CLOSER


Pneumatic



6419678 Black

### SPRING DOOR STOP

Brass




674218 3" Spring Door Stop / Brass

### CHAIN STOP-ANODIZED



641996

# How To Measure a 5210/7660 Series Combination Door



**Step 1.** Measure width of door (Dimension A) from right to left on the existing primary door. Measure height (Dimension B) from top to bottom. Do not include measurement of lip.

**Step 2.** Measure jamb size of existing primary door. (Check to see if your home was built with 2 x 4 or 2 x 6 wall studs). Please measure carefully and advise if you will need a 4" or 6" jamb. Some newer dry wall homes may require 6-1/2" jamba.

**Step 3.** Looking at your existing door from the outside, please advise if the door hinges are on the right side or left side as you are facing the door. (Storm doors and primary doors do not have to be hinged on the same side).

**Step 4.** Compare the rough opening dimensions to the conversion chart below. If the door size you require is not listed, you may need to order the next size available,


Available Sizes	
Width (A) X Height (B)	
Width	Height
27-7/8" = 30"	68-7/8" = 70"
29-7/8" = 32"	70-7/8" = 72"
31-7/8" = 34"	72-7/8" = 74"
33-7/8" = 36"	74-7/8" = 76"
35-7/8" = 38"	76-7/8" = 78"
	78-7/8" = 80"

**ALUMINUM WINDOWS**

Recommended Rough Size	Mill Vertical Slider with Screen	White Vertical Slider Storm	Mill Horiz. Slider with Screen	White Horiz. Slider with Screen
14-1/4"W x 21-3/4"H	771421	771421S		
14-1/4" x 27-5/8"H	771427	771427S		
14-1/4"W x 39-5/8"H	771440	771440S		
14-1/4"W x 53-5/16"H	771453	771453S		
18-1/4"W x 27-5/8"H	771827	771827S		
18-1/4"W x 39-5/8"H	*			
22-1/4"W x 27-5/8"H	*			
24-1/4"W x 27-5/16"H	772427	772427S		
24-1/4"W x 39-7/8"H	772440	772440S		
24-1/4"W x 53-5/16"H	772453	772453S		
30-1/4"W x 21-3/4"H	*			
30-1/4"W x 27-5/8"H	773027	773027S	773027H	773027HS
30-1/4"W x 30"H	773030	773030S		
30-1/4"W x 35-3/4"H	773036	773036S	773036H	773036HS
30-1/4"W x 39-5/8"H	773040	773040S	773040H	773040HS
30-1/4"W x 53-5/16"H	773053	773053S		
30-1/4"W x 54-5/16"H	773054	773054S		
30-1/4"W x 58-5/8"H	773060	773060S		
36-1/4"W x 27-5/8"H	773627	773627S		
36-1/4"W x 35-3/4"H	773636	773636S		
36-1/4"W x 39-5/8"H	773640	773640S		
36-1/4"W x 53-5/16"H	773653	773653S		
40-1/2"W x 27-5/8"H	774027	774027S		
40-1/4"W x 35-3/4"H	774036	774036S		
40-1/4"W x 39-5/8"H	774040	774040S		
40-1/4"W x 53-5/16"H	774053	774053S		
46-1/4"W x 27-5/8"H	774627	774627S	774627H	774627HS
46-1/4"W x 35-3/4"H	774636	774636S		
46-1/4"W x 39-5/8"H	774640	774640S	774640H	774640HS
46-1/4"W x 53-5/16"H	774653	774653S		



**PHILIPS PRODUCTS**



Vertical Slider

Horizontal Slider

**FEATURES**

- Extruded Aluminum Framing
- Perimeter Flange
- Prepunched Holes in Flange
- Single Glazed
- Easy, Fast Installation

**No Returns on Windows**

**OBSCURED GLASS**

14"W x 27"H Vertical; Mill Finish  
771427OBS

14"W x 27"H Vertical; White Finish  
7714271OBS


**MEASURE ROUGH OPENING SIZE • MEASURE CAREFULLY - NO RETURNS ACCEPTED**

**ZINC PLATED 1/4" HEX HEAD SCREWS**




- 6587520 #8 x 3/4" - 500/box
- 658120 #8 x 1" - 500/box
- 6581520 #8 x 1-1/2" - 500/box
- 6582001 #8 x 2" - 500/box

**PAINTED HEX HEAD SCREWS**



- 6585201 #8 x 1/2" White - 500/box
- 6581750 #8 x 3/4" White - 500/box
- 6581201 #8 x 1" White - 500/box
- 6501251 #8 x 1-1/4" White - 500/box
- 6581501 #8 x 1-1/2" White - 500/box
- 6581202 #8 x 1" Cream - 500/box
- 6581207 #8 x 1" Brown - 500/box
- 6581502 #8 x 1-1/2" Brown - 500/box

**BUTYL TAPE**  
COLORIMETRIC



- 43120334 1/8" x 3/4" x 30'—24/ctn
- 43120410 1/8" x 1" x 30'—16/ctn
- 43120615 1/8" x 1-1/2" x 30'—12/ctn

## 810 SERIES - ALL VINYL DOUBLE HUNG WINDOWS

Rough Opening Size	W/O "J" Channel	With "J" Channel
14.25"W x 27.062"H	781427D	781424DJ
14.25"W x 39.625"H	781440D	781440DJ
24.25"W x 27.062"H	782427D	782427DJ
24.25"W x 39.625"H	782440D	782440DJ
30.25"W x 27.062"H	783027D	783027DJ
30.25"W x 39.625"H	783040D	783040DJ
30.25"W x 53.312"H	783053D	783053DJ
36.20"W x 27.062"H	783627D	783627DJ
36.25"W x 39.625"H	783640D	783640DJ
46.25"W x 27.062"H	784627D	784627DJ
46.25"W x 39.625"	784640D	784640DJ
46.25"W x 53.312"H	784653D	784653DJ



**PHILIPS  
PRODUCTS**

**NEW!**



- Energy Efficient
- 3/4" Insulated Glass
- Tilt Sash for Easy Cleaning
- White w/ Screen


*Options:* "J" Channel

## 710 SERIES - ALL VINYL WINDOW

Rough Opening Size	Part Number
14.25" W x 27.062" H	781427
14.25" W x 39.625" H	781440
24.25" W x 27.062" H	782427
24.25" W x 39.625" H	782440
30.25" W x 27.062" H	783027
30.25" W x 39.625" H	783040
30.25" W x 53.312" H	783053
46.25" W x 27.062" H	784027
46.25" W x 39.625" H	784043
46.25" W x 53.312" H	784653



**PHILIPS  
PRODUCTS**



- Energy Efficient
- 11/16" Insulated Glass
- Tilt Sash for Easy Cleaning
- White w/ Screen
- Built in "J" Channel
- Dual Weather Strip

*Options:*

Grids • Privacy Glass • Low "E"

# 5050 Series R.V. Doors



## 5050 Series Square Corner R.V. Doors

- Mechanically fastened outer frame creates a strong sturdy assembly
- Extruded Hinges with steel bushings and full-length hinge pin provide longer service life and sturdy core to frame connection
- Damaged resistant fiberglass exterior and interior surfaces. Optional Aluminum skin available
- Precambered steel lock stile and adjustable strike plate ensure a positive seal
- Screen Door lever latch secures firmly to the primary door and frame. Cross bars on screen doors for added safety.
- 5050 Series Square Corner R.V. Doors come standard with a 14 x21 obscure glass window and non-safety flush mount locks. (other window and lock options are available)



## 5050 Series Radius Corner R.V. Doors



### Frame Assembly

- Precision one piece outer frame is delivered pre-squared and ready for installation.
- Extruded Hinges with stainless steel bushing and full length pin provide longer service and sturdy core to frame connection
- Hinge system complies with DOT FMVSS 206 and CMVSS 206
- Optional frame colors are available

### Core Assembly

- Interior surfaces are damage resistant fiberglass. Optional aluminum skin is available
- Precambered steel lock stile and adjustable strike plate ensure a positive seal
- Non safety flush mount lock are standard (optional safety locks are available)
- 14 x 21 obscure glass windows are standard. (other window options are available)

### Screen Door Assy

- Extruded aluminum frame with reinforced corners
- Large molded slide bubble glides easily gives ready access to lock area
- Screen door lever latch secures firmly of the primary door and frame



**Call Widths:** :24", 26" 28", 30", 32", 34", 36"  
**Call Heights:** 68", 70", 72", 74", 76", 78", 80"

### **Rough Opening Dimensions as follows:**

\* Call width = Rough Opening Dimension

\* Call Height + 1/4" = Rough Opening Dimension


(Example: 28 in. x 76 in. call size = 28 in. x 76-1/4 in.)

# INTERIOR DOORS

## Interior Doors

Prefinished Hardboard Pre-Drilled with 2-3/8" Back Set

Size	Profile	Order #	Color
24 x 80 Door	6 Panel	6424806EWH	White
28 x 80 Door	6 Panel	6428806EWH	White
30 x 80 Door	6 Panel	6430806EWH	White
24 x 78 Door	Flat	642478LT	Light Oak
24 x 80 Door	Flat	642480LT	Light Oak
26 x 78 Door	Flat	642678LT	Light Oak
26 x 80 Door	Flat	642680LT	Light Oak
28 x 78 Door	Flat	642878LT	Light Oak
28 x 80 Door	Flat	642880LT	Light Oak
30 x 78 Door	Flat	643078LT	Light Oak
30 x 80 Door	Flat	603080LT	Light Oak



Brass Privacy and  
Passage Locks  
Available in Standard  
or Lever Styles



### 1/4" QUATER ROUND 8'



6003LT Oak



### BATTEN 8 FT.



6001DK  
6002LT

1" Oak Batten  
1.5" Oak Batten



### 2" OAK TRI-MOLD



6004TM

2" x 8' Oak Tri-Mold

### 8" X 3" BATTEN



60481A ADOBE WHITE



### BATTEN 8 FT.



600482A 1.5" x 8' Adobe White



### LIP MOULDING 1.5" X 8'



6003DK OAK Lip Moulding 1-1/2"

### SHOE/FLAT BASE 3"



6006LT OAK



### DOOR CASING 8 FT.



6008LT

Oak Door Casing



### NON-MORTISE HINGE



673252 Brass

(2/Per Pack)  
673253

### 48" X 96" PANELING



4' x 8' Oak Paneling 604896DK

### 48" X 96" PANELING



White Vinyl Coated Wood Pnl. 604896WH

### OAK COVE MOLDING 8 FT.



Oak Cove Molding 6007CM