




A special self-regulating core is at the center of the Freeze Free cable. This core is conductive and adjusts according to the surrounding temperatures. When it is cold, the cable core has many conductive paths that generate enough heat to keep the water flowing in the pipe. As the surrounding temperature warms, there are fewer conductive paths and less heat is generated. This self-regulating technology ensures the right amount of heat when and where it is needed.

- | | | | |
|--------|---------------------|--------|---------------------|
| 151100 | 100' Roll Easy Heat | 151101 | Freeze Free Plug |
| 151300 | 300' Roll Easy Heat | 151500 | 500' Roll Easy Heat |



PLUG KIT



549800 Plug Kit

REELS

Constant Heat



- | | |
|--------|-----------|
| 542102 | 100' Reel |
| 544250 | 250' Reel |

PIPE INSULATION

6 Foot



- | | |
|--------|---|
| 542705 | 7/8" ID 3/8" Wall Thickness (48/Ctn.) |
| 542706 | 1-1/8" ID 3/8" wall Thickness (36 Ctn.) |

FIBERGLASS PIPE INSULATION KIT


3" Wide



- | | |
|---------|--|
| 5416525 | 25' w/1 Roll Vinyl Outer Wrap - 24/ctn |
| 5416503 | 35' w/1 Roll Vinyl Outer Wrap - 24/ctn |

ANTI-FREEZE HANDPUMP

Pumps Antifreeze Directly into Water Lines and Supply Tanks



- | | |
|-------|---|
| 44501 | Blowout Plug - Plastic |
| 44502 | By-Pass 1/2" Kit |
| 44503 | Plastic w/ Flexible Connecting Line 4/ctn |

ANTI-FREEZE


Protects to -50° F
Safe for Copper, Brass, and All Plastics (Except Acetate)



- | | |
|--------|---|
| 445000 | For Full Strength Usage
1 Gallon—6/ctn
Skid Quantity: 240 Gallons |
|--------|---|

We will have what you are looking for, or we can quickly get it! Contact us at 800.479.2754


PIPE HANGER STRAP



116507 Galvanized
3/4" x 100"
28 Gauge Roll
1113038 Plastic,
3/4" x 100",
.050 Gauge Roll

BLACK WATER HOSE


3/4" Male Hose Thread x 3/4"
Female Hose 25'



5020503 Black Water Hose
13/ctn

STOVE BOLTS

20 Round Head



651434 1/4" x 3/4" w/Nut -
100/box

WATER PRESSURE REGULATOR

3/4" 45-50 P.S.I.




50790 Female Garden
Hose x Male
Hose Thread

BARBED PLASTIC FITTINGS FOR FLEXIBLE WATER LINE

COUPLING


Plastic to Plastic



504151 3/4" x 3/4" Poly Plus - 25/ctn



BARB GALVANIZED ADAPTER

3/4"




50973907 3/4" Barb Galvanized
Adapter - Male (MPT)

ADAPTERS



504785 3/4" FPT x Tubing 15/ctn
504181 3/4" MPT x Tubing 25/ctn

PIPE CLAMPS




5034112 Fits 3/4"—1-1/2" Water Line
500/ctn
505212 Fits 1/2"—1-1/4" Water Line
500/ctn



General Supply

PEX TUBING

100' Coils / 100 and 160 PSI




(Pex Tubing)

5012020 1/2" x 20' (1/2" ID/5/8" OD)
5012100 1/2 x 100' Roll
5034020 3/4" x 20' (3/4" ID/7/5" OD)
5034100 3/4" x 100' Roll

Thermaline Water Hook Up

The Thermaline is a compact unit designed especially to provide water service to mobile homes. It is ideal wherever a freezeless sanitary tight line installation is needed. The Thermaline is protected from freezing by a bonded polyurethane insulation permanently molded in high strength plastic casing, and 15 watt (110-120v) portable insert heater. Operating cost are about a penny per day even at temperatures of 50* below zero. When not in use, wheel handle at surface level shuts off water below frost line and above the frost line can be removed completely with forced air or suction pump.



Thermaline Units

<u>Part#</u>	<u>Description</u>
580020	2' Bury Unit
580030	3' Bury Unit
580040	4' Bury UNit
580050	5' Bury Unit
580060	6' Bury Unit

Thermaline Component Parts

<u>Item</u>	<u>Part#</u>	<u>Description</u>	<u>Item</u>	<u>Part#</u>	<u>Description</u>
1	580055	Cover Woodford	9	580066	Yoke Nut
2	580056	Cover Thermaline	10	58015	Comb. Valve Assy.
3	580073	Carriage Belt	11	580062	Htr. Well Thumb nut
4	580068	Wing Nut	12	580063	Heater Well Washer
5	580013	Handle (Brass)	13	585002	2' Heater Well Assy.
6	580005	Packing Nut	13a	585001	* 1' Heater Well Assy.
7	580008	Therm. Packing	14	585062	**2' Heater Assy.
8	585063	Head Nut Assy	14a	585061	* 1' Heater Assy
0	58RK17	Repair Kit	15	580061	Heater Cover.


* For use with 2' bury or smaller

** For use with 3' bury or larger

We will have what you are looking for, or we can quickly get it! Contact us at 800.479.2754

BACKFLOW PREVENTER


Brass, 3/4" FPT x 3/4" MPT



57234 Stainless Steel Springs - 50/ctn

PIPE SWIVELS & ADAPTERS


3/4"



5030002 3/4" Hose x 3/4" Pipe Swivel - 10/ctn
513434 3/4" x 3/4" Female Hose Adapter

FROST-FREE SILCOCK VALVE


Bronze Body
Nickel Plated



5111815 1/2" x 8"

CHECK VALVE


3/4"



5026206 3/4" Check Valve

SWING CHECK VALVE


Double Check Valve
Brass - 3/4"



5110543 3/4" Swing Check Valve

WATER PRESSURE REGULATING VALVE


Brass - 3/4"



53EB87 Regulating Valve

IN-LINE CHECK VALVES


S. S. Spring Loaded
DUAL CHECK VALVE
AVAILABLE
3/4"



519444 Brass, 3/4" Pipe
538369 Brass, 3/4" Dual Check Valve

ANTI-SIPHON VALVE

3/4" x 3/4" Hose
3/4" MHT x 3/4" FHT



5111850 Connects to Any Hose Thread-Break off Bolt-12/ctn

GATE VALVES


Brass - 3/4"



5110133 3/4" Regular Valve
5110153 IPS Nominal; Heavy Duty; Size 3/4"

BOILER DRAIN VALVE


MIP x Hose



5111702 1/2" Fits C x C or IPS 72/case
518971 3/4" Fits C x C or IPS 12/Pk

BALL VALVE


PVC
3/4"



500006 1/2" Ball Valve
500007 3/4" Ball Valve

HOSE BIBB VALVE


Brass
3/4" Std. Pattern, Tee Hdle.



5130217 Rough Brass
5130219 No Kink

ABS FOAMCORE PIPE

Heavy Duty, Thick Wall, Black




Schedule 40 ABS Pipe

- 49315104 1-1/2" x 10'
- 4932104 2" x 10'
- 4933104 3" x 10'
- 493460 4" x 10'

ABS SERVICE WEIGHT PIPE

Black




Special Order

Service Weight ABS Pipe

- 493310 3" x 10'
- 493320 3" x 20'

ABS DOUBLE ELBOW


All HUB



- 503047 3" x 3" x 3"

ABS LONG-TURN TEE WYE


Single



- 502853 1-1/2" x 1-1/2" x 1-1/2"
- 502858 2" x 2" x 2"
- 502865 2" x 2" x 1-1/2"
- 502852 3" x 3" x 3"
- 502860 4" x 4" x 4"
- 502837 3" x 3" x 1-1/2"
- 502857 3" x 3" x 2"

ABS TEES


Sanitary All HUB



- 502752 1-1/2" x 1-1/2" x 1-1/2"
- 502753 2" x 2" x 2"
- 502754 3" x 3" x 3"
- 502755 4" x 4" x 4"

ABS TEES


Reducing



- 502758 2" x 2" x 1-1/2"
- 502763 3" x 3" x 2"

ABS 45° WYE


All HUB



- 502824 3" x 3" x 3"
- 502826 2" x 2" x 1-1/2", Reducing
- 502828 3" x 3" x 2", Reducing

ABS 90° ELBOW


Long Turn All Hub



- 502871 1-1/2" x 1-1/2"
- 502872 2" x 2"
- 502873 3" x 3"

ABS 90° ELBOW


All HUB (1/4" Bend)



- 502876 1-1/2" x 1-1/2"
- 502877 2" x 2"
- 502878 3" x 3"
- 502879 4" x 4"

ABS 45° ELBOW


All HUB (1/8" Bend)



- 502885 1-1/2" x 1-1/2"
- 502886 2" x 2"
- 502887 3" x 3"
- 502888 4" x 4"

ABS 22-1/2° ELBOW

All HUB (1/16" Bend)




- 502900 2" x 2"
- 502901 3" x 3"

We will have what you are looking for, or we can quickly get it! **Contact us at 800.479.2754**

ABS FITTING CLEAN OUT ADAPTER


Spigot x FPT (w/o Plug)



- 502922 1-1/2" x 1-1/2"
- 502923 2" x 2"
- 502924 3" x 3"
- 502925 4" x 4"

ABS THREADED PLUG


MPT



- 502938 1-1/2"
- 502939 2"
- 502941 3"
- 502942 4"

ABS P-TRAP ADAPTER


Spigot x Slip Joint



- 502975 1-1/2" x 1-1/2"
- 1-1/2" x 1-1/4" w/Tube Stop & SJ Washers
- 503389 1-1/2" x 1-1/2" or 1-1/4" w/Tube Stop & SJ Washers

ABS ELBOWS


90° Vent, All Hub



- 503086 3" x 3"

ABS ELBOWS


Street Spigot x Hub



- 502881 2" x 2" 90°
- 502882 3" x 3" 90°
- 502892 3" x 3" 45°

ABS FLUSH BUSHINGS


Spigot x Hub



- 502904 1-1/2" x 1-1/4"
- 502906 2" x 1-1/2"
- 502907 3" x 1-1/2"
- 502908 3" x 2"

ABS TRAY PLUG


Schedule 40



- 503419 1-1/2" SP x SPSM

ABS COUPLINGS


Hub x Hub



- 502933 1-1/2" x 1-1/2"
- 502934 2" x 2"
- 502935 3" x 3"
- 502936 4" x 4"

ABS REDUCING COUPLINGS


All Hub



- 502948 1-1/2" x 2"
- 502950 2" x 3"
- 502952 3" x 4"

ABS FEMALE ADAPTER


FPT x Hub



- 502866 1-1/2" x 1-1/2"
- 502869 3" x 3"

ABS MALE ADAPTER


MPT x Hub



- 502926 1-1/4" x 1-1/2"
- 502927 1-1/2" x 1-1/2"
- 502928 2" x 2"
- 502929 3" x 3"


ABS P-TRAP

Hub x Hub w/Union Joint



- 502215 1-1/2" x 1-1/2"

ABS CLOSET FLANGE



- 502903 4" x 3" - HUB
- 506336343 4" x 3" - MPT
- 506336345 4" x 3" - FPT

FLEXIBLE TRANSITION COUPLINGS

W/Stainless Steel Clamps




Fits Plastic, Cast Iron, Copper, Steel & Lead

- 500540 Fits 1-1/2" Pipe
- 50542 Fits 2" Pipe
- 50543 Fits 3" x 3" Pipe
- 50544 Fits 4" x 3" Pip
- 50545 Fits 4" Pipe

SCHEDULE 40 PVC PIPE


Heavy Duty, Thick Wall, White PVC - DWV Pipe



- 4961510 1-1/2" x 10' 280 PSI, Straight end
- 496210 2" x 10', 280 PSI, Straight end
- 496310 3" x 10', 260 PSI, Straight end

PVC 90° ELBOW


Hub x Hub (1/4" Bend, Long Sweep)



- 505871 1-1/2" x 1-1/2"
- 505872 2" x 2"
- 505873 3" x 3"

PVC LONG TURN TEE WYE


All Hub



- 505853 1-1/2"
- 505858 2"
- 505852 3"

PVC SANITARY TEES


All Hub



- 505752 1-1/2"
- 505753 2"
- 505754 3"

PVC DBL. SANITARY TEE


All Hub



- 505814 3"

PVC 45° WYE


All Hub



- 505824 3"

PVC LONG TURN TEE WYE


All Hub - Reducing



- 505837 3" x 3" x 1-1/2"
- 505857 3" x 3" x 2"

PVC 90° VENT ELBOW


Hub x Hub



- 506086 3" (Short 1/4" Bend No Pitch)

PVC 90° ELBOW


Hub x Hub (1/4" Bend)



- 505876 1-1/2"
- 505877 2"
- 505878 3"

PVC 45° ELBOWS


Hub x Hub (1/8" Bend)



- 505885 1-1/2"
- 505886 2"
- 505887 3"
- 505888 4"

PVC 22-1/2° ELBOW

Hub x Hub (1/16" Bend)




- 505899 1-1/2" (1/8" Bend)
- 505900 2"
- 505901 3"

We will have what you are looking for, or we can quickly get it! Contact us at 800.479.2754

SCH 40 PVC DWV PLASTIC PIPE FITTINGS

PVC ELBOWS - STREET


Spigot x HUB
Schedule 40



- 505881 2" x 2", 90°
- 505882 3" x 3", 90°
- 505892 3" x 3", 45°

PVC ELBOWS - DOUBLE


All HUB
Schedule 40



- 506047 3" x 3" x 3"

PVC REDUCER BUSHINGS


Spigot x HUB
Schedule 40



- 505906 2" x 1-1/2"
- 505907 3" x 1-1/2"
- 505908 3" x 2"
- 505909 4" x 3"

PVC THREADED PLUG


MPT
Schedule 40



- 505938 1-1/2"
- 505939 2"
- 505941 3"
- 505942 4"

PVC CLEAN OUT ADAPTER


Spigot x FPT
Schedule 40



- 505922 1-1/2"
- 505923 2"
- 505924 3"
- 505925 4"
- 506001 1-1/2" w/plug
- 506002 2" w/plug
- 506003 3" w/plug

PVC FEMALE ADAPTER


FPT x HUB
Schedule 40



- 505869 3" x 3"
- 506396 4" x 4"

PVC MALE ADAPTER


MPT x HUB / Schedule 40



- 505930 4" x 4"

PVC COUPLINGS


HUB x HUB
Schedule 40



- 505933 1-1/2" x 1-1/2"
- 505934 2" x 2"
- 505935 3" x 3"
- 505936 4" x 4"

PVC CLEAN OUT TEE

HUB x HUB x FPT (No Pitch) / Schedule 40



- 506415 3" x 3" x 3"
- 506416 4" x 4" x 4"

PLASTIC PIPE PVC CEMENT

All Weather - Clear




- 507070 Pint for Sch. 40 & 80 up to 6" Dia.-12/

ctn

3-WAY CEMENT

Clear



- For Use With PVC, CPVC and ABS Pipe. Dauber Included
- 507115 Pint 12/ctn
 - 507120 Quart 12/ctn

ABS PIPE CEMENT

Black



- Medium Body, and Setting.
For Fittings Up to 6" Diameter
- 507260 1/4 Pint 12/ctn
 - 507265 1/2 Pint 12/ctn
 - 507270 Pint 12/ctn
 - 507275 Quart 12/ctn

PLASTIC PIPE PRIMER / CLEANER

Use Prior to Applying Solvent



- 508030 1/4 Pint w/Dauber
- 508005 1/2 Pint w/Dauber
- 508015 Quart w/Dauber

INSULATED PANEL WATER HEATER DOORS

- Universal, for Gas or Electric
- Fiberglass Exterior Panel
- Welded Frame for Strength & Positive Seal
- White




722060W Blank, 20" x 60"
722360W Blank, 23" x 60"
722360WV 23" x 60", Louvered

OFF/ON SWITCH




577002 Replacement Part

DIELECTRIC NIPPLE



570325 3/4" MPT x 3/4" MPT


SCREW-IN ELEMENT SOCKET WRENCH



579932 Fits 1-1/2" Nut

TEMPERATURE RELIEF VALVE


Brass Body, Teflon Coated Actuator



5710471 4" Actuator for Installation in Hot Outlet Line,
3/4" M x 3/4" F Outlet

GAS BALL VALVE

Forged Brass
Meets AGA Specifications



5121562 1/2" F x F Lever
5121563 3/4" F x F Lever

EXTERIOR GAS CONNECTORS


Stainless Steel Corrugated Tubing



606633 3/4" x 36" Stainless Gas Connector
603632 1/2" x 36" Stainless Gas Connector
603635 1/2" x 48" Stainless Gas Connector

4-BOLT IMMERSION ELEMENT


(2-1/2" Diagonal Bolt Hole Center/Universal Flange)



574363 120 V 1500 W
574600 240 V 4500 W


4-BOLT IMMERSION ELEMENT

2-1/2" Diag. Bolt Hole Ctr.




573740 120 V 1500 W Flat Flange
573943 240 V 4500 W Flat Flange

SCREW-IN IMMERSION ELEMENT



572143 120 V 1500W Element
572183 120 V 1750W Element
572283 240 V 3500W Element

OPEN COIL ELEMENTS




57115 120V; 1500W
57117 120V; 1750W
575782 120V; 2000W
575802 240V; 2000W



THERMOSTATS

U.L. Listed, 1 Year Warranty



577843 Single Pole/Combo Type
577863 Double Pole/Combo Type
120° Non-Adjustable used
as Upper Thermostat

We will have what you are looking for, or we can quickly get it! Contact us at 800.479.2754



Water Heaters Well Known Value.™

Specifically Designed for Manufactured Housing


- Convertible for use with Natural Gas or L.P. Gas
- Side Inlet Temp. & Pressure Relief Valve Opening & Cold Water Inlet
- Two Hole Top or Anode Rod and Hot Water Outlet
- 1 Year Limited Warranty

5690333 Gas 30 Gallon 55-1/2" H x 15-3/4" D, 115#

5690433 Gas 40 Gallon 56" H x 17-3/4" D, 140#

562073 Vented Stack Assembly, 12° Angled Flange 3" D,
Extends 44-3/4" Below Roof Line - 4/ctn
FOR USE WITH ABOVE WATER HEATERS

GAS WATER HEATER



American Water Heaters

Specifically Designed for Manufactured Housing

- Side Connect
- Direct Immersion Heating Element(s) for High Efficiency
- Meets H.U.D. REQUIREMENTS and ASHRAE 90A - 80

569020 20 Gallon Electric, 1 Element, 32-3/16"H x 17-3/4"D, 120V 2000W, 1 YEAR WARRANTY

569030S 30 Gallon Electric, 1 Element, 45-5/8"H x 17"D, 240V 3500W, 1 YEAR WARRANTY


569040S 40 Gallon Electric, 1 Element, 46-1/8"H x 19"D, 240V 3500W, 1 YEAR WARRANTY

56120 20 Gallon Electric, 26-1/2"H x 19-3/4"D, 120V / 2000W, w/TP Valve, 1 YEAR LIMITED WARRANTY

569030 30 Gallon Electric, 45"H x 18"D, 120V / 2000W, w/TP Valve, Dbl. Element, 6 YEAR LIMITED WARRANTY

569040 40 Gallon Electric, 47-1/2"H x 20"D, 240V / 3500W, w/TP Valve, Dbl. Element, 6 YEAR LIMITED WARRANTY

ELECTRIC WATER HEATER



Water Heaters Well Known Value.™

Specifically Designed for Manufactured Housing

- Convertible for use with Natural Gas or L.P. Gas
- Combustion Air Comes from Outside Home
- Flue Gases Directly Expelled to Outside Home
- No External Vented Door Required
- Interior Temperature Control
- 1 Year Limited Warranty

5699930 30 Gallon Water Heater Only / Gas Direct Vent

5699930KT 30 Gal. 57-1/16" H x 15-3/4" D, w/12" Roof Jack & Air Inlet, 115#

5699940 40 Gallon Water Heater Only / Gas Direct Vent

5699940KT 40 Gal. 57-1/16" H x 15-3/4" D, w/12" Roof Jack & Air Inlet, 115#

*56AP12021 Roof Jack Ext. Pipe Kit - 18"


*56AP12017B Air Inlet 11"-22" Adjustable

*56AP12118B Roof Jack 15"-32" Adjustable

*56AP12118C Roof Jack 30"-60" Adjustable

*56AP12118D Roof Jack 48"-95" Adjustable

DIRECT VENT GAS WATER



NOTE: Manufacturer's Warranty Valid When Water Heater Installed with Roof Jack & Air Inlet.

* Roof Jack & Air Kit Application for 30 & 40 Gal. Water Heaters Starting with Serial #298